

Los Angeles County Department of Health Services

Co-Evolution of an Operational Disease Reporting System, as the Standards Evolve

Irene Culver
David Dassey, M.D., MPH
Jason Siegel, M.D.
Ray Aller, M.D.





- History of vCMR
- Original configuration
- Evolving configuration
- GUI screen shots
- Evolving standards
- NEDSS feasibility study
- Modifying the system
- Specific modifications
- Sample RIM message
- Other modifications
- Future directions
- Suggested PHIN updates

History of vCMR

 Concept 	1996
 Project manager 	1997
 Software developer selected 	1997
 Contract signed 	1998
 Development and testing 	1999
 Live operation 	5-2000
 Alerting module 	4-2001
 Lab interface live 	2-2002
 Other disease programs 	4-2002
 Web-CMR 	5-2002

Original Configuration


- Client-server software
- Object-oriented database with relational views
- Integrated three communicable disease data systems
 - Disease cases (80+ conditions)
 - Outbreaks
 - Foodborne illness reports
- Converted 10 years of historical data

Evolving Configuration

- Electronic lab reporting
 - LOINC coding
 - SNOMED coding
- Web
 - Browser-based case submission
- Security
 - Two-factor authentication




Electronic Lab Report Import






Staging Area with LOINC Codes






Web CMR Entry Screen – Top





Web CMR Entry Screen – Bottom





Evolving Standards

• SNOMED 1975

• HL7 1979+

• LOINC 1995

• NEDSS 1999

• PHIN 2003

- Initially PHIN focused on requiring a particular database, schema, and internal tools
- Recent evolution towards compliant services and messages using standard vocabularies

LA County NEDSS Feasibility Study

- The currently deployed version of vCMR was analyzed for PHIN compliance
- 48 unique requirements were derived from analyzing the 9 PHIN Technical Specifications
- 39 of the 48 requirements apply to vCMR

29 of 39 are fully met
 75%

4 of 39 are partially met10%

6 of 39 may need new software15%

- How to close the gap
 - Need CDC clarification of certain requirements
 - Await HL7 message specification completion
 - Add existing modules from the current developer
 - Modify the system with new development

Modifying the System as Standards Evolve

- Akin to retooling the engine while the automobile is driving down the road at 65 MPH
- This system has been in full live operation for four years, and daily serves a population of 10 million people.
- It is critically important to NOT disrupt the routine operation of the working system, while enhancements are being incorporated
- Priority is on adding new capabilities, rather than preoccupation with reworking existing capabilities

Specific Modifications

- Supporting all functionality through the web interface
- Support for additional program areas: TB, HIV, injury and violence prevention, lead, toxic epidemiology
- Automatic transfer of case report information from physician's office practice management system, into vCMR
- Increase capability for XML-based secure data exchange with public health partners (example follows)



HL7 RIM PH Case Message & Mapping

Sample VCMR HL7 RIM PH XML Message	Data Source Metadata Path
<7xml version="1.0" encoding="UTF-8" ?>	
- <publichealthcase <br="" xmlns="urn h17-org.v3">xmlns.xsi="http://www.w3.org/2002/XMLSchema-instance" xsi-schemal.ocation="urn.h17-org.v3 PORR_HD100001.xsd"></publichealthcase>	
<id>root="2.16.840.1.113883.19.6.000000" extension="DI- 1477" displayable="true" /></id>	IN_DiseaseIncident.DI_CMRRecord
<pre><code actcode"="" code="{PhAct}" codesystem="2.16.840.1.113883.5.4' codeSystemName=" displayname="{Ph- DiseaseNotification}' /></pre></td><td>(TBD HL7 – PH Notify ActCode)</td></tr><tr><td><text>Web CMR Disease Incident Record DI-1477 Case Report text></td><td>IN_DiseaseIncident.DI_CMRRecord</td></tr><tr><td><statusCode code=" new"=""></code></pre>	IN_DiseaseIncident.DI_ProcessStatusDR → DI_IncidentProcessStatus.IPS_Status
- <effectivetime></effectivetime>	
low value="20031215" inclusive="true" >>	IN_DiseaseIncident.DI_DateSubmitted
<high inclusive="true" value=""></high>	IN_DiseaseIncident.DI_DateClosed
	35.002 1020 1020 1020 1020 1020 1020 1020
- <activitytime></activitytime>	
<low inclusive="true" value="20031215"></low>	IN_DiseaseIncident.DI_DateSubmitted
<high inclusive="true" value=""></high>	IN DiseaseIncident.Dl DateClosed
-	

Sample VCMR HL7 RIM PH XML Message	Data Source Metadata Path
<state*ca<state*< td=""><td>IN_DiseaseIncident.DI_PersonDR → E_PersonPER_CityDR → DIC_City.CITY_StateDR → DIC_State.STATE_State</td></state*ca<state*<>	IN_DiseaseIncident.DI_PersonDR → E_PersonPER_CityDR → DIC_City.CITY_StateDR → DIC_State.STATE_State
<pre><postalcode>91367</postalcode></pre>	IN_DiseaseIncident.DI_PersonDR → E_PersonPER_ZipCodeDR → DIC_ZipCode_ZC_ZipCode
<pre><country>United States</country></pre>	IN_DiseaseIncident.DI_PersonDR → E_Person_PER_CityDR → DIC_City.CITY_StateDR → DIC_State.STATE_CountryDR → DIC_Country.CNTRY_Country
<maritalstatuscode code="**<br">codeSystem=*2,16,840,1,113883,5,2* codeSystemName=*MaritalStatus* displayName=** /></maritalstatuscode>	
<pre><educationlevelcode 2,16,840,1,113883,5,1077"="" code=" codeSystem=" codesystemname="EducationalLevel" displayname=""></educationlevelcode></pre>	
<pre><ru><ru></ru></ru></pre> <pre></pre> <pre><pre><pre><pre><pre></pre></pre></pre></pre></pre>	IN_DisaseIncident DI_PersonDR → E_PersonPER_RaceDR → DIC_Race.RACE_Race
<pre>~ethnicGroupCode code=" codeSystem="2.16.840.1.113883.5.50" codeSystemName="Ethnicity" displayName==" originalText="African/American" >></pre>	IN_DisaseIncident DI_PersonDR → E_PersonPER_EthnicityDR → DIC_Ethnicity.ETH_Ethnicity
<pre>/patient></pre>	
<responsibleparty></responsibleparty>	
- erritorialAuthority	
- <territory></territory>	
<pre><code code="(PhEntity)" codesystem="2.16.840.1.113883.19.1.0000" codesystemmame="EntityCode" displayname="ALHAMBRA HD/AlhambraHC">></code></pre>	(TBD CDC − LHD OID) IN_DisaseIncident DI_DistrictDR → DIC_District.DIS_District
<-territory>	
<territorialauthority></territorialauthority>	
/responsibleParty>	
- <subject !=""></subject>	
- < functionCode>	
<code code="" codesystem="2.16.840.1.113883.5.88" codesystemname="ParticipationFunction" displayname=""></code> <functioncode></functioncode>	
- <ime></ime>	
<pre>- sume> </pre> <pre> </pre> <pre> </pre> </pre> <pre> <pr< td=""><td>IN_DiseaseIncident.DI_DateSubmitted</td></pr<></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>	IN_DiseaseIncident.DI_DateSubmitted
<high true"="" value="* inclusive="></high>	IN_DiseaseIncident.DI_DateClosed
Stimes	to new concluding the coses
<pre></pre>	
<subject2></subject2>	
- <exposedentity></exposedentity>	
<code <="" code="P" codesystem="2.16.840.1.113883.5.111" p=""> codeSystemName="RoleCode' displayName="Patient" >></code>	
<exposedpenos></exposedpenos>	
<id <br="" root="2.16.840.1.113883.19.6.000000">extension="PER-183767" displayable="true" /></id>	IN_DiseaseIncident.DI_PersonDR → E_Person.PER_ID
<name use="L"></name>	
<gives>JONA</gives>	IN_DiseaseIncident.DI_PersonDR → E_Person.PER_FirstName
name>	
<telecom use="H" value="(818) 340-7080"></telecom>	IN_DiseaseIncident.DI_PersonDR → E_Person.PER_HomePhone

Sample VCMR HL7 RIM PH XML Message	Data Source Metadata Path
<administrativegendername code="M" codesystem="2.16.840.1.113883.5.1" codesystemname="AdministrativeGender displayName=" male"=""></administrativegendername>	IN_DiseaseIncident.DI_PersonDR → E_PersonPER_Sex
<hirthtime value="19050511"></hirthtime>	IN_DiseaseIncident.DI_PersonDR → E_PersonPER_DOB
<decesedind value="false"></decesedind>	IN DiseaseIncident.DI DateOfDeath
<deceasedtime value=""></deceasedtime>	IN DiseaseIncident DI DateOfDeath
- <addr use="HP"></addr>	LV_Diseasementalinini_DaleOtibeam
 6351 Owensmouth Ave streetAddressLine	IN_DiseaseIncident.DI_PersonDR → E_Person.PER_StreetNumber + E_Person.PER_StreetOfrectional + E_Person.PER_StreetName
<city>WOODLAND HILLS</city>	IN_DiseaseIncident DI_PersonDR → E_PersonPER_CityDR → DIC_City.CITY_City
<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	IN_DiseaseIncident DI_PersonDR → E_PersonPER_CityDR → DIC_City_CITY_StateDR → DIC_State_STATE_State
<pre><pontalcode>91367</pontalcode></pre>	IN_DiseaseIncident.DI_PersonDR → E_Person.PER_ZipCodeDR → DIC_ZipCode.ZC_ZipCode
<country>United States</country>	IN DiseaseIncident DI, PersonDR → E PersonPER_CityDR → DIC_City.CITY StateDR → DIC_State.STATE_CountryDR → DIC_Country.CNTRY_Country
<addr></addr>	
<maritalstatuscode code="" codesystem="2.16.840.1.113883.5.2" codesystemname="MaritalStatus" displayname=""></maritalstatuscode>	
codeSystem="2.16.840.1.113883.5.1077" codeSystemNatre="EducationalLevel" displayName="" > "raceC.ode code="" codeSystem="2.16.840.1.113885.5.104" codeSystemNatre="Race" displayName="" originalText="AFOHAN" >>	IN_DisaseIncident.DI_PersonDR → E_PersonPER_RaceDR → DIC_Race_RACE_Race
<ethnicoroupcode code="">codeSystem="2.16.840.1113883.5.50" codeSystemName="Ethnicity" displayName=""originalText="African American"."></ethnicoroupcode>	IN_DisaseIncident.DI_PersonDR → E_PersonPER_EthnicityDR → DIC_Ethnicity.ETH_Ethnicity
- <scopedrole></scopedrole>	
<pre><code code="(PhRole)" codesystem="2.16.840.1.113883.5.11" codesystemname="RoleCode" displayname="(PhRole-Scope)"></code></pre>	(TBD HL7 - PH RoleCode)
- <effectivetime></effectivetime>	
<low inclusive="true" value="20031215"></low>	IN_DiseaseIncident.DI_DateSubmitte
<high inclusive="true" value=""></high>	IN_DiseaseIncident.DI_DateClosed
<effectivetime></effectivetime>	
<pre></pre>	
- <effectivetime></effectivetime>	
low value=*20031215* inclusive=*true* />	IN_DiseaseIncident.DI_DateSubmitte
<pre><high inclusive="true" value=""> </high></pre>	IN_DiseaseIncident.DI_DateClosed
THE PROPERTY OF THE PROPERTY O	
<exposingnonpersonlivingsubject></exposingnonpersonlivingsubject>	
<pre></pre>	
<\u00edletct>	
- <composess2></composess2>	
<pre> -<component2> substanceAdministrationProcess > </component2></pre>	
- <composess2></composess2>	

Sample VCMR HL7 RIM PH XML Message	Data Source Metadata Path
- <component3></component3>	
- <observationprocess></observationprocess>	
<id displayable="true" extension="DI-
1477" root="2.16.840.1.113883.19.6.000000">></id>	IN_DiseaseIncident.DI_CMRRecord
<pre><code code"(phact)*="" codesystem="">"2.16.840.1.113883.5.4" codeSystemName="ActCode"displayName="(PhAct- Observation)! >></code></pre>	(TBD HL7 – PH Observe ActCode)
<pre><text>Patient positive for disease: AHF = AFRICAN HEMORRHAGIC FEVER</text></pre>	In_DiseaseIncident.DI_DiseaseDR → DIC_Disease.DIS_ShortName
<effectivetime></effectivetime>	IN_DiseaseIncident.DI_DateSubmitted
<low inclusive="true" value="20031215">></low>	IN_DiseaseIncident.DI_DateClosed
<high 20031215"="" inclusive="true" value=" inclusive='true' /></td><td></td></tr><tr><td></effectiveTime></td><td></td></tr><tr><td>-<activityTime></td><td></td></tr><tr><td><low value="></high>	IN DiseaseIncident DI DateSubmitted
<high inclusive="true" value="">></high>	IN_DiseaseIncident.DI_DateClosed
value code="x8070" codeSystem="2.16.840.1.113883.6.5" codeSystemName="Systemized Nomenclature in Medicine Reference Terminology" displayName="Ebola virus infection" originalText="AFRICAN IEMOGRHAOIC FEVER" >	In_DiseaseIncident.DI_DiseaseDR → DIC_Disease.DIS_SNOMEDDR → DIC_SNOMED.SNMD_ConditionID & DIC_SNOMED.SNMD_ConditionName
<interpretationcode <br="" code="A">codeSystem>2.16.840.1.113883.5.83" codeSystemName="ObservationInterpretation" displayName="Abnormal" >></interpretationcode>	In_DiseaseIncident.DI_DiseaseDR
<methodcode></methodcode>	
>a href="coct_MT09000000">	



HL7 RIM PH Case Message & Mapping – Details

Sample VCMR HL7 RIM PH XML Message	Data Source Metadata Path
xml version="1.0" encoding="UTF-8" ?	
- <publichealthcase xmlns="urn:hl7-org:v3" xmlns:xsi="http://www.w3.org/2002/XMLSchema-instance" xsi:schemalocation="urn:hl7-org:v3 PORR_HD100001.xsd"></publichealthcase>	
<id displayable="true" extension="DI-
1477" root="2.16.840.1.113883.19.6.000000"></id>	IN_DiseaseIncident.DI_CMRRecord
<pre><code code="{PhAct}" codesystem="2.16.840.1.113883.5.4" codesystemname="ActCode" displayname="{Ph- DiseaseNotification}"></code></pre>	{TBD HL7 – PH Notify ActCode}
<text>Web CMR Disease Incident Record DI-1477 Case Report</text>	IN_DiseaseIncident.DI_CMRRecord
<statuscode code="New"></statuscode>	IN_DiseaseIncident.DI_ProcessStatusDR → DI_IncidentProcessStatus.IPS_Status
- <effectivetime></effectivetime>	
<low inclusive="true" value="20031215"></low>	IN_DiseaseIncident.DI_DateSubmitted
<high inclusive="true" value=""></high>	IN_DiseaseIncident.DI_DateClosed
- <activitytime></activitytime>	
<low inclusive="true" value="20031215"></low>	IN_DiseaseIncident.DI_DateSubmitted
<high inclusive="true" value=""></high>	IN_DiseaseIncident.DI_DateClosed
- <detectionmethodcode code="{PhCode}" codesystem="2.16.840.1.113883.5" codesystemname="codeSysName" displayname="{Ph- DetectionMethod}"></detectionmethodcode>	{TBD HL7 – PH Detect MethodCode}
<originaltext>Other</originaltext>	IN_DiseaseIncident.DI_ReportSourceDR → E_ReportSource.RS_Type
- <author></author>	

Sample VCMR HL7 RIM PH XML Message	Data Source Metadata Path
- <component3></component3>	
- <observationprocess></observationprocess>	
<id>root="2.16.840.1.113883.19.6.000000" extenstion="DI-1477" displayable="true" /></id>	IN_DiseaseIncident.DI_CMRRecord
<pre><code code="{PhAct}" codesystem="2.16.840.1.113883.5.4" codesystemname="ActCode" displayname="{PhAct-Observation}"></code></pre>	{TBD HL7 – PH Observe ActCode}
<text>Patient positive for disease: AHF = AFRICAN HEMORRHAGIC FEVER</text>	In_DiseaseIncident.DI_DiseaseDR → DIC_Disease.DIS_ShortName
- <effectivetime></effectivetime>	IN_DiseaseIncident.DI_DateSubmitted
<low inclusive="true" value="20031215"></low>	IN_DiseaseIncident.DI_DateClosed
<high inclusive="true" value=""></high>	
- <activitytime></activitytime>	
value="20031215" inclusive="true" />	IN_DiseaseIncident.DI_DateSubmitted
<high inclusive="true" value=""></high>	IN_DiseaseIncident.DI_DateClosed
<value code="x8070" codesystem="2.16.840.1.113883.6.5" codesystemname="Systemized Nomenclature in Medicine Reference Terminology" displayname="Ebola virus infection" originaltext="AFRICAN HEMORRHAGIC FEVER"></value>	In_DiseaseIncident.DI_DiseaseDR → DIC_Disease.DIS_SNOMEDDR → DIC_SNOMED.SNMD_ConditionID & DIC_SNOMED.SNMD_ConditionName
<pre><interpretationcode code="A" codesystem="2.16.840.1.113883.5.83" codesystemname="ObservationInterpretation" displayname="Abnormal"></interpretationcode></pre>	In_DiseaseIncident.DI_DiseaseDR
<methodcode></methodcode>	
<pre><location><!-- CMET 'COCT_MT0900000' reference suppressed (participant)--></location></pre>	
<pre><participant><!-- CMET 'COCT_MT0900000' reference suppressed (assignedEntity)--></participant></pre>	

Non-PHIN Modifications being Evaluated

- Retrofitting to permit running on less capable database management systems (e.g., lacking object-orientation, namespaces, etc.)
- Migrating web tools from one platform to a more fashionable one
- Migrating to a standard interface engine platform for laboratory interfaces





- Continue to evolve as standards are clarified
- As the number of installed jurisdictions increases, more people will generate ideas to improve design.
- More fully integrate with other aspects of LA County PH architecture, including HAN (HASTEN), operational data store, data warehouse.
- Increase hospitals using web-vCMR from 8 in 2003 to 120 by 2005.
- Assist more local laboratories to develop ability to send us electronic laboratory reports

Suggested CDC Activities & PHIN Updates

- The CDC should take an active role in defining PH related HL7 RIM codes and vocabularies, the lack of which makes PH Case message generation difficult
- The CDC should become the official registrar for OIDs to identify all public health agencies
- The CDC should assist HL7 in defining a Clinical Document Architecture template framework for public-health-specific information exchange, such as local case management
- PHIN should acknowledge the usefulness of a wider range of development and database tools than are currently endorsed in the standards